

New Features of Surface 5.0

©2008 Geogiga Technology Corp.

New Features

- Support linear, non-circular, and circular passive source
- Interactively define 1D or 2D geometry
- Directly select shot and check geometry on seismic data
- Provide azimuth analysis


New Features – Continued 1

- Specify frequency range and increment
- Focus dispersion image
- Pick dispersion curve with continuous or separate mode
- Define picks color

New Features – Continued 2

- Combine FV spectra within same record, or with different records, and save combining parameters
- Reset initial model with pervious inversed result
- Show column or FV curve on curve and color section
- Set trace group annotation by default

Support 1D and 2D Passive Source



March, 2008

Define Geometry Interactively

Geometry: SHOT_1

Array Assignment

Receiver Location

	X	Y
1*	0.00	50.00
2	25.00	43.30
3	43.30	25.00
4	50.00	0.00
5	43.30	-25.00
6	25.00	-43.30
7	0.00	-50.00
8	-25.00	-43.30
9	-43.30	-25.00
10	-50.00	0.00
11	-43.30	25.00
12	-25.00	43.30

Shot

Active

Passive

Location

X

Y

Elevation

Clear

Interpolate

Apply

Save


Close

Linear Non Circular Circular


Reset View>>

Diameter Set Start Angle Clockwise


Select Shot and Check Geometry on Seismic Data



Provide Azimuth Analysis




Change Picking Settings




- Specify frequency range and increment
- Focus dispersion image
- Pick dispersion curve with continuous or separate mode
- Define picks color

Combine Active and Passive FV Spectra within Same Record




Combine Active and Passive FV Spectra with Different Records




March, 2008

Reset Initial Model with Previous Result




March, 2008

Display Section of HV Curve or Column



Curve Section Settings



Color Section Settings

Set Anotation of Trace Group

